TRIAL MODE - a valid license will remove this message. See the keywords property of this PDF for more information.





It is vitally important that the cill is laid flat and level to achieve good performance. Jambs must be vertical in both planes, and no twist or other distortion allowed in the frame.

Prior to installing the frame, the opening should be checked to ensure that it is free of debris, and that any projecting brickwork has been trimmed back

Any damaged damp proof membranes should be replaced or additional membranes incorporated.

When the opening was originally measured a suitable gap should have been allowed around the door, this will allow the door to be packed to ensure that it is plumb and square within the opening

Ideally the frame should be bedded on mortar.

The frame can then be positioned in the opening and held square by packing at the very corners of the frame, taking care not to damage or deform the frame profiles

To check for squareness, measure the diagonals from corner to corner, these diagonal dimensions should not differ by more than 1 or 2mm, if they do then adjust the packing until the frame is square within the opening.

The lay of the frame in to out can be checked by using a spirit level on the jambs. On replacement applications, the correct position of the frame might not align with the original. This will require some remedial work to make good the plaster reveal around the frame on the inside as well as any render that is present on the outside

Fixing of Frame

The first fixing must always occur within 150mm of the corner of the unit and then at no more than 600mm centres (do not over-tighten fixings), the type and frequency depends on the expected applied loadings.

Packing will be required at the fixing points to prevent distortion of the frame. Drilled holes in the frame should be sealed and DFP267 hole plugs fitted.

Note fixings and hole plugs are not supplied with door kits.

Foam Fixing

Fixing foam can be used in conjunction with screw and lug fixing, but must not be used as an alternative to mechanical fixing.

Care must be taken not to allow the foam to come into contact with the painted finish and as such the use of some form of masking tape would be advisable. Permanent staining will be caused if the foam contacts the frame.



CD100 shown

09/11

CDC048

Copyright Sapa Building Systems Limited. This data sheet is issued subject to the condition that it shall not be reproduced without the consent of Sapa Building Systems Limited in writing

6-2

TRIAL MODE – a valid license will remove this message. See the keywords property of this PDF for more information.



Product Manual

CROWN Crown Entrance Door

Door Leaf Glazing

Open in doors.

CWC055 or CWC070 retained gasket is inserted into the glazing bead, and is cut square with the horizontal beads, and mitred with the vertical beads. Care should be taken to ensure the seal is not stretched during fitting.

Open out doors.

Self adhesive retained gasket CDC145 is applied to the rails and is square cut. CDC146 self adhesive retained gasket is applied to the stiles and mitered/joined with CDC145. Care should be taken to ensure the seal is not stretched during fitting, and aluminium surfaces must be clean prior to the gasket being applied.

Glazing

Position the adjustable glazing packers into the door leaf using packer positions shown. A small amount of silicone sealant may be used to retain there position, however care must be taken to ensure that the sealant does not obstruct any of the drainage paths.

After the glazing packers have been positioned, the glass is now carefully offered in and the adjustable glazing packers tightened to retain the glass centrally within the opening. Care should be exercised so that the packers are not over tightened.

Once the glass is positioned correctly within the opening and the door leaf checked to ensure that it is square, the beads can be fitted. Begin by inserting the top and bottom glazing beads, and then the sides. It is very important that the joints between beads are carefully sealed with Henkel Terostat sealant to form an airtight junction.

A plastic wedge should be pressed between the glass and the frame, forcing the glass towards the retained gasket. This will ease the glazing process for the wedge gasket.

Installation - Glazing

Glaze out doors.

CDC142 vertical wedge gasket is wedged between the stiles/glass and is square cut. For the horizontal wedge gasket, <u>Remove the 2mm tear off strip</u> from CDC142 and wedge between the rails/glass and mitere/join with the vertical wedge gasket located in the stiles.

sapa:

buildingsystem

Glaze in doors.

<u>Remove the 2mm tear off strip</u> from CDC142 vertical wedge gasket and wedge between the vertical bead/glass with the ends square cut. For the horizontal wedge gasket, <u>Remove the 2mm tear off strip</u> from CDC142 and wedge between the horizontal beads/glass and mitere/join with the vertical wedge gasket.

Care should be taken to ensure the seal is not stretched during fitting and Henkel Terostat sealant must be applied to the gasket corners to ensure a good airtight joint is achieved. Note that if the wedge gasket compression is too great, the 1mm tear off strip can be removed.



09/11

CDC048

Copyright Sapa Building Systems Limited. This data sheet is issued subject to the condition

that it shall not be reproduced without the consent of Sapa Building Systems Limited in writing



Installation - Door Leaf - Frame

Product Manual

Crown Entrance Door

Hook And Latch Keep Assembly

Hook and latch keeps are fitted to the locking jamb on single doors and on the slave stile on double doors.

Check handing, and then position keeps so that the slotted adjustment holes align with the pre-drilled fixing holes. Secure keeps with No.8 csk self tap screws in the predrilled holes only, and then check door leaf locking operation. The keep positions can be adjusted by loosening the adjustment screws, sliding forwards or backwards and then re-tightening.

When satisfactory door leaf locking operation has been obtained, drill 3.2 dia fixing holes through the remaining fixing holes in the keeps. And secure with No.8 csk self tap screws.

ep Pack Usage	CDP122	52mm Outerframe LH OO / RH OI
	CDP222	52mm Outerframe LH OI / RH OO
	CDP124	75mm Outerframe LH OO / RH OI
	CDP224	75mm Outerframe LH OI / RH OO
	CDP127	Double doors

Seals And Trims

When satisfactory door assembly/operation has been finalised, the remaining seals and trims can be fitted.

Using general arrangements as a guide...

C1630 Trim is fitted to all stiles, flush with the ends and cut around the lock and keeps.

Woolpile DFC1450 is fitted at the head, CDC147 is fitted in the jambs and is cut around keeps and hinges.

DFC1103 or DFC1208 frame/vent seal is fitted in the outerframe and meeting stiles, taking care not to stretch during fitting.



sapa:

buildingsystem

09/11

Ke

CDC048

Copyright Sapa Building Systems Limited. This data sheet is issued subject to the condition that it shall not be reproduced without the consent of Sapa Building Systems Limited in writing

6-6



Crown Entrance Door

Sealing

The recommended sealant for the exterior is Low Modulous Neutral Cure Silicone Sealant. Backing foam should be used where the perimeter gap is over 5mm. Where the gap is within the 5mm range, a neat application of silicone is all that is required on the outside.

A final check of the internal and external perimeter seals should be undertaken. Any weak spots that are identified should be rectified and tooled to a high visual finish. Any excess sealant must be cleaned off of the finished surfaces using appropriate cleaner.

Cleaning After Installation

If excess sealant is to be cleaned off. Ensure that any solvent used will not damage any of the metal finishes, synthetic rubbers or plastics which may be present.

Warning

Take particular care if there is any cement or plaster on the aluminium. It is harmful to the metal finish and should be washed off while still wet. DO NOT RUB or particles of grit will permanently damage the metal or paint finish.

Routine Cleaning

No aluminium finish is "Maintenance Free" and hence should be cleaned at regular intervals.

Product should be washed down with warm water containing a mild detergent at least once a year. In areas where airborne contaminants are more concentrated than usual - near the sea, around swimming pools, or in place where in industrial air pollution is a known hazard - the products should be cleaned every three months or more frequently if requested by the powder coat manufacturer for that specific location.

When cleaning the products, it is a wise precaution to check that all hardware fixing screws are tight, and that all parts are free from damage. At the same time, and at least annually, make sure that drainage paths are not blocked by airborne debris, or other 'foreign' bodies

Maintenance

The hardware fitted to Sapa products does not need 'calendar' servicing but should be maintained on 'as necessary' basis. Thus items such as door locks and hinges, which have been lubricated in manufacture and/or installation should be treated with the appropriate lubricant when they show signs of stiffening up in use, or if they have been left unused for a considerable time.

Regular checks to be carried out on the locking gear and hinges, at least once a year or more frequently depending upon the hostility of the environment, i.e. coastal regions or dusty environments.

Operation

In order to preserve functionality of the door, and to guarantee security, it is imperative the directives listed below are observed.

- Intermittent operation or sudden unexplained impairment of the functioning of any item of hardware should be investigated immediately by a person familiar with the product and repairs/adjustments be effected before user safety or product function is jeopardised.
 - Replacement of faulty or damaged parts should be carried out by . an experienced person using the correct parts.
- Where an item is still covered by the warranty given by the fabricator or installer of the product, requests for remedial work under such guarantees must, in the first instance, be referred to that person or company.

09/11

CDC048

Copyright Sapa Building Systems Limited. This data sheet is issued subject to the condition that it shall not be reproduced without the consent of Sapa Building Systems Limited in writing

6-8